

OXYGEN
Tolerance Tables
O2

CARBON DIOXIDE
Tolerance Tables
CO2

Phase 1	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	1:00	50%	1	2:30	1:30	167%
	2	2:00	1:15	63%	2	2:15	1:30	150%
	3	2:00	1:30	75%	3	2:00	1:30	133%
	4	2:00	1:45	88%	4	1:45	1:30	117%
	5	2:00	2:00	100%	5	1:30	1:30	100%
	6	2:00	2:15	113%	6	1:15	1:30	83%
	7	2:00	2:30	125%	7	1:00	1:30	67%
	8	2:00	2:30	125%	8	1:00	1:30	67%
		16:00:00	14:45:00	30:45:00		13:15:00	12:00:00	25:15:00

Phase 2	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	1:15	63%	1	2:15	1:30	150%
	2	2:00	1:30	75%	2	2:00	1:30	133%
	3	2:00	1:45	88%	3	1:45	1:30	117%
	4	2:00	2:00	100%	4	1:30	1:30	100%
	5	2:00	2:15	113%	5	1:15	1:30	83%
	6	2:00	2:30	125%	6	1:00	1:30	67%
	7	2:00	2:45	138%	7	0:45	1:30	50%
	8	2:00	2:45	138%	8	0:45	1:30	50%
		16:00:00	16:45:00	32:45:00		11:15:00	12:00:00	23:15:00

Phase 3	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	1:30	75%	1	2:00	1:30	133%
	2	2:00	1:45	88%	2	1:45	1:30	117%
	3	2:00	2:00	100%	3	1:30	1:30	100%
	4	2:00	2:15	113%	4	1:15	1:30	83%
	5	2:00	2:30	125%	5	1:00	1:30	67%
	6	2:00	2:45	138%	6	0:45	1:30	50%
	7	2:00	3:00	150%	7	0:30	1:30	33%
	8	2:00	3:00	150%	8	0:30	1:30	33%
		16:00:00	18:45:00	34:45:00		9:15:00	12:00:00	21:15:00

Phase 4	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	1:45	88%	1	1:45	1:30	117%
	2	2:00	2:00	100%	2	1:30	1:30	100%
	3	2:00	2:15	113%	3	1:15	1:30	83%
	4	2:00	2:30	125%	4	1:00	1:30	67%
	5	2:00	2:45	138%	5	0:45	1:30	50%
	6	2:00	3:00	150%	6	0:30	1:30	33%
	7	2:00	3:15	163%	7	0:15	1:30	17%
	8	2:00	3:15	163%	8	0:15	1:30	17%
		16:00:00	20:45:00	36:45:00		7:15:00	12:00:00	19:15:00

OXYGEN
Tolerance Tables
O2

CARBON DIOXIDE
Tolerance Tables
CO2

Phase 5	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	2:00	100%	1	1:45	1:45	100%
	2	2:00	2:15	113%	2	1:30	1:45	86%
	3	2:00	2:30	125%	3	1:15	1:45	71%
	4	2:00	2:45	138%	4	1:00	1:45	57%
	5	2:00	3:00	150%	5	0:45	1:45	43%
	6	2:00	3:15	163%	6	0:30	1:45	29%
	7	2:00	3:30	175%	7	0:15	1:45	14%
	8	2:00	3:30	175%	8	0:15	1:45	14%
		16:00:00	22:45:00	38:45:00		7:15:00	14:00:00	21:15:00

Phase 6	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	2:15	113%	1	1:45	2:00	88%
	2	2:00	2:30	125%	2	1:30	2:00	75%
	3	2:00	2:45	138%	3	1:15	2:00	63%
	4	2:00	3:00	150%	4	1:00	2:00	50%
	5	2:00	3:15	163%	5	0:45	2:00	38%
	6	2:00	3:30	175%	6	0:30	2:00	25%
	7	2:00	3:45	188%	7	0:15	2:00	13%
	8	2:00	3:45	188%	8	0:15	2:00	13%
		16:00:00	24:45:00	40:45:00		7:15:00	16:00:00	23:15:00

Phase 7	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	2:30	125%	1	1:45	2:15	78%
	2	2:00	2:45	138%	2	1:30	2:15	67%
	3	2:00	3:00	150%	3	1:15	2:15	56%
	4	2:00	3:15	163%	4	1:00	2:15	45%
	5	2:00	3:30	175%	5	0:45	2:15	33%
	6	2:00	3:45	188%	6	0:30	2:15	22%
	7	2:00	4:00	200%	7	0:15	2:15	11%
	8	2:00	4:00	200%	8	0:15	2:15	11%
		16:00:00	26:45:00	42:45:00		7:15:00	18:00:00	25:15:00

Phase 8	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	2:45	138%	1	1:45	2:30	70%
	2	2:00	3:00	150%	2	1:30	2:30	60%
	3	2:00	3:15	163%	3	1:15	2:30	50%
	4	2:00	3:30	175%	4	1:00	2:30	40%
	5	2:00	3:45	188%	5	0:45	2:30	30%
	6	2:00	4:00	200%	6	0:30	2:30	20%
	7	2:00	4:15	213%	7	0:15	2:30	10%
	8	2:00	4:15	213%	8	0:15	2:30	10%
		16:00:00	28:45:00	44:45:00		7:15:00	20:00:00	27:15:00

OXYGEN
Tolerance Tables
O2

CARBON DIOXIDE
Tolerance Tables
CO2

Phase 9	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	3:00	150%	1	1:45	2:45	64%
	2	2:00	3:15	163%	2	1:30	2:45	55%
	3	2:00	3:30	175%	3	1:15	2:45	45%
	4	2:00	3:45	188%	4	1:00	2:45	36%
	5	2:00	4:00	200%	5	0:45	2:45	27%
	6	2:00	4:15	213%	6	0:30	2:45	18%
	7	2:00	4:30	225%	7	0:15	2:45	9%
	8	2:00	4:30	225%	8	0:15	2:45	9%
		16:00:00	30:45:00	46:45:00		7:15:00	22:00:00	29:15:00

Phase 10	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	3:15	163%	1	1:45	3:00	58%
	2	2:00	3:30	175%	2	1:30	3:00	50%
	3	2:00	3:45	188%	3	1:15	3:00	42%
	4	2:00	4:00	200%	4	1:00	3:00	33%
	5	2:00	4:15	213%	5	0:45	3:00	25%
	6	2:00	4:30	225%	6	0:30	3:00	17%
	7	2:00	4:45	238%	7	0:15	3:00	8%
	8	2:00	4:45	238%	8	0:15	3:00	8%
		16:00:00	32:45:00	48:45:00		7:15:00	24:00:00	31:15:00

Phase 11	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	2:00	3:30	175%	1	1:45	3:15	54%
	2	2:00	3:45	188%	2	1:30	3:15	46%
	3	2:00	4:00	200%	3	1:15	3:15	38%
	4	2:00	4:15	213%	4	1:00	3:15	31%
	5	2:00	4:30	225%	5	0:45	3:15	23%
	6	2:00	4:45	238%	6	0:30	3:15	15%
	7	2:00	5:00	250%	7	0:15	3:15	8%
	8	2:00	5:00	250%	8	0:15	3:15	8%
		16:00:00	34:45:00	50:45:00		7:15:00	26:00:00	33:15:00

Phase 12	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:45	3:30	200%	1	1:45	3:15	54%
	2	1:45	3:45	214%	2	1:30	3:15	46%
	3	1:45	4:00	229%	3	1:15	3:15	38%
	4	1:45	4:15	243%	4	1:00	3:15	31%
	5	1:45	4:30	257%	5	0:45	3:15	23%
	6	1:45	4:45	271%	6	0:30	3:15	15%
	7	1:45	5:00	286%	7	0:15	3:15	8%
	8	1:45	5:00	286%	8	0:15	3:15	8%
		14:00:00	34:45:00	48:45:00		7:15:00	26:00:00	33:15:00

OXYGEN
Tolerance Tables
O2

CARBON DIOXIDE
Tolerance Tables
CO2

Phase 13	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:30	3:30	233%	1	1:45	3:30	50%
	2	1:30	3:45	250%	2	1:30	3:30	43%
	3	1:30	4:00	267%	3	1:15	3:30	36%
	4	1:30	4:15	283%	4	1:00	3:30	29%
	5	1:30	4:30	300%	5	0:45	3:30	21%
	6	1:30	4:45	317%	6	0:30	3:30	14%
	7	1:30	5:00	333%	7	0:15	3:30	7%
	8	1:30	5:00	333%	8	0:15	3:30	7%
		12:00:00	34:45:00	46:45:00		7:15:00	28:00:00	35:15:00

Phase 14	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:15	3:30	280%	1	1:45	3:45	47%
	2	1:15	3:45	300%	2	1:30	3:45	40%
	3	1:15	4:00	320%	3	1:15	3:45	33%
	4	1:15	4:15	340%	4	1:00	3:45	27%
	5	1:15	4:30	360%	5	0:45	3:45	20%
	6	1:15	4:45	380%	6	0:30	3:45	13%
	7	1:15	5:00	400%	7	0:15	3:45	7%
	8	1:15	5:00	400%	8	0:15	3:45	7%
		10:00:00	34:45:00	44:45:00		7:15:00	30:00:00	37:15:00

Phase 15	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:00	3:30	350%	1	1:45	4:00	44%
	2	1:00	3:45	375%	2	1:30	4:00	38%
	3	1:00	4:00	400%	3	1:15	4:00	31%
	4	1:00	4:15	425%	4	1:00	4:00	25%
	5	1:00	4:30	450%	5	0:45	4:00	19%
	6	1:00	4:45	475%	6	0:30	4:00	13%
	7	1:00	5:00	500%	7	0:15	4:00	6%
	8	1:00	5:00	500%	8	0:15	4:00	6%
		8:00:00	34:45:00	42:45:00		7:15:00	32:00:00	39:15:00

Phase 16	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:00	3:45	375%	1	1:45	4:15	41%
	2	1:00	4:00	400%	2	1:30	4:15	35%
	3	1:00	4:15	425%	3	1:15	4:15	29%
	4	1:00	4:30	450%	4	1:00	4:15	24%
	5	1:00	4:45	475%	5	0:45	4:15	18%
	6	1:00	5:00	500%	6	0:30	4:15	12%
	7	1:00	5:15	525%	7	0:15	4:15	6%
	8	1:00	5:15	525%	8	0:15	4:15	6%
		8:00:00	36:45:00	44:45:00		7:15:00	34:00:00	41:15:00

OXYGEN
Tolerance Tables
O2

CARBON DIOXIDE
Tolerance Tables
CO2

Phase 17	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:00	4:00	400%	1	1:45	4:30	39%
	2	1:00	4:15	425%	2	1:30	4:30	33%
	3	1:00	4:30	450%	3	1:15	4:30	28%
	4	1:00	4:45	475%	4	1:00	4:30	22%
	5	1:00	5:00	500%	5	0:45	4:30	17%
	6	1:00	5:15	525%	6	0:30	4:30	11%
	7	1:00	5:30	550%	7	0:15	4:30	6%
	8	1:00	5:30	550%	8	0:15	4:30	6%
		8:00:00	38:45:00	46:45:00		7:15:00	36:00:00	43:15:00

Phase 18	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:00	4:15	425%	1	1:45	4:45	37%
	2	1:00	4:30	450%	2	1:30	4:45	32%
	3	1:00	4:45	475%	3	1:15	4:45	26%
	4	1:00	5:00	500%	4	1:00	4:45	21%
	5	1:00	5:15	525%	5	0:45	4:45	16%
	6	1:00	5:30	550%	6	0:30	4:45	11%
	7	1:00	5:45	575%	7	0:15	4:45	5%
	8	1:00	5:45	575%	8	0:15	4:45	5%
		8:00:00	40:45:00	48:45:00		7:15:00	38:00:00	45:15:00

Phase 19	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:00	4:30	450%	1	1:45	5:00	35%
	2	1:00	4:45	475%	2	1:30	5:00	30%
	3	1:00	5:00	500%	3	1:15	5:00	25%
	4	1:00	5:15	525%	4	1:00	5:00	20%
	5	1:00	5:30	550%	5	0:45	5:00	15%
	6	1:00	5:45	575%	6	0:30	5:00	10%
	7	1:00	6:00	600%	7	0:15	5:00	5%
	8	1:00	6:00	600%	8	0:15	5:00	5%
		8:00:00	42:45:00	50:45:00		7:15:00	40:00:00	47:15:00

Phase 20	Set	Vent	Static	Static%	Set	Vent	Static	Vent%
	1	1:00	4:45	475%	1	1:45	5:15	33%
	2	1:00	5:00	500%	2	1:30	5:15	29%
	3	1:00	5:15	525%	3	1:15	5:15	24%
	4	1:00	5:30	550%	4	1:00	5:15	19%
	5	1:00	5:45	575%	5	0:45	5:15	14%
	6	1:00	6:00	600%	6	0:30	5:15	10%
	7	1:00	6:15	625%	7	0:15	5:15	5%
	8	1:00	6:15	625%	8	0:15	5:15	5%
		8:00:00	44:45:00	52:45:00		7:15:00	42:00:00	49:15:00